

Dell ImageDirect vs. Symantec Norton Ghost 11.5 time savings evaluation

Executive summary

Dell Inc. (Dell) commissioned Principled Technologies (PT) to compare Dell's online ImageDirect image creation process with a typical corporate deployment solution such as the Symantec™ Norton™ Ghost™ 11.5 tool, a leading solution many organizations use. The test aimed to measure and compare the potential time an organization's IT staff might inve_st using the two imaging solutions and deployment processes across multiple locations.

We selected four commonly available systems that Dell ImageDirect supports with Microsoft® Windows® 7 Enterprise:

- Dell™ Latitude™ E5400 notebook
- Dell Latitude E6400 notebook
- Dell OptiPlex™ 780 desktop
- Dell Precision™ T1500 desktop

With the ability to order systems with a customized, preinstalled image or build customized images for download in a few clicks of the mouse button, we found that Dell ImageDirect could save significant amounts of IT staff members' time, time they would normally devote to imaging using a tool such as Norton Ghost.

KEY FINDINGS

- Deploying systems with Dell ImageDirect saved as much as 76 percent of IT staff time over using an imaging tool such as Norton Ghost 11.5.
- Deploying systems for users in remote facilities with Dell ImageDirect saved as much as 80 percent of IT staff time over using an imaging tool such as Norton Ghost 11.5.
- Creating images using Dell ImageDirect saved on average 97 percent of IT staff time over creating the images with an imaging tool such as Norton Ghost 11.5.
- Dell ImageDirect required no additional time to deploy an image on a different Dell model as our tests on the Dell OptiPlex 780 and Precision T1500 show.

We first created a standard company system image using both Dell ImageDirect and Norton Ghost 11.5 on a Dell Latitude E5400 notebook. We used Ghost as many small, medium-sized, and large organizations would. The difference between those usage models is that smaller organizations with fewer systems are more likely to install applications by hand. Larger organizations would develop silent installation scripts to speed up repeated application installations. We then ordered a Dell OptiPlex 780 desktop system using the image created and tested through Dell's ImageDirect service. We tested the other systems using the images created from Dell ImageDirect and compared setup times with the systems we used Norton Ghost 11.5 to set up. We repeated this process on the Dell Latitude E6400, changing the systems to mimic what would happen over time as an organization buys new and different systems and updates images, possibly distributing them across multiple sites.

Time savings of Dell ImageDirect over Norton Ghost 11.5							
Area of time savings			Dell OptiPlex 780	Dell Precision T1500	Average across all four systems we tested		
One-time setup (percentage)	0:00:00 (N/A)	0:56:15 (94%)	0:31:39 (100%)	0:35:00 (100%)	0:30:43 (97%)		
Deployment (percentage)	0:32:11 (73%)	0:37:34 (76%)	0:13:42 (53%)	0:16:03 (66%)	0:24:52 (66%)		
Remote site deployment (percentage)	0:41:57 (78%)	0:47:16 (80%)	0:23:28 (66%)	0:25:22 (76%)	0:34:31 (78%)		

Figure 1. The time savings of Dell ImageDirect over Norton Ghost 11.5 for setting up images and deploying images on systems (both at the central site and at remote sites). The time differences are in hours:minutes:seconds, with percentage differences in parentheses.

Figure 1 shows both the time savings and percentage time savings of Dell ImageDirect over Norton Ghost 11.5 in our image creation testing. These savings are what a small organization that does not use silent installations during their imaging process might expect. We base the times in Figure 1 not on elapsed times, but rather on the time an IT staff member would actually have to devote to a task. For example, if the task of copying an image to a system took a total of 40 minutes, but the actual time to start up the image copy and monitor its progress only took 8 minutes, we used the 8-minute figure. The 100% savings indicates that there was no time required for Dell ImageDirect imaging when switching to a different model of computer.

The one-time setup time is the time necessary to create an image for a system, either with Dell ImageDirect or Norton Ghost 11.5. This time would be necessary for each image within a customer's environment. IT staff members could then deploy that image on multiple similar systems. With Dell ImageDirect, IT staff members could also deploy the Dell ImageDirect image on different types of Dell systems with no additional setup time. Because we assume the initial image is already created for the Dell Latitude E5400, no time is necessary with either method and no time savings result. The deployment time is what is necessary to get the boxed up system unboxed, imaged, and personalized for the user. The remote site deployment time is the deployment time plus the necessary time to box the system back up, prepare it for shipping to the remote location, and unbox it there upon arrival.

We calculated our times on the Dell ImageDirect builds from the point after SYSPREP to creating the user and getting to the Windows desktop. We captured the ghost imaging comparison times from the point of powering on the system to the point that we created the user and the Windows desktop appears. We found these times to be much faster than with the Norton Ghost 11.5 setup, especially when it came to ordering a pre-configured system.

Test methodology

We first tested a Dell Latitude E5400 notebook system with an existing image. We then tested a Dell Precision T1500 desktop system with as similar an image as possible. This is the situation the IT staff faces when adding a new model of computer to the set of computers they already support. We chose a desktop to emphasize the differences when compared with a notebook. We also tested a Dell Latitude E6400 notebook with an updated image. This situation is a common one, where the IT staff needs to add updates, new applications, and make other changes over time. We completed the test by ordering a Dell OptiPlex 780 from the factory with the customized image already installed.

The initial image contained the following applications as part of our hypothetical company's corporate build:

- Adobe[®] Acrobat[®] Reader 8.1.2
- Adobe Photoshop[®] CS5
- Adobe Dreamweaver[®] CS5
- Microsoft Access[®] 2007
- Microsoft Excel[®] 2007
- Microsoft Outlook[®] 2007
- Microsoft PowerPoint[®] 2007
- Microsoft Project 2007
- Microsoft Word 2007
- Microsoft Visio[®] 2007
- Microsoft Groove[®] 2007
- Microsoft OneNote[®] 2007
- Microsoft Publisher 2007
- Microsoft InfoPath[®] 2007
- SPEC[®]jbb[®]2005 v1.07
- Symantec EndPoint Protection 11.0.4
- WinZip[®] 14.5

We also set the following in the image:

- Microsoft Internet Explorer[®] (IE) home page to <u>www.principledtechnologies.com</u>
- Corporate desktop wallpaper

- Corporate-mandated policy settings:
 - Under Security Settings→Account Policies→Password Policy→Change Maximum Password age to 20 days
 - Under Security Settings→Local Policies→User Rights Assignment→Add Administrator to Lock pages in memory (recommended for running SPECjbb2005)
 - O Under Security Settings→Local Policies→Security Options→Rename guest account to PTGuest

For the Dell Precision T1500 system, we recorded the amount of time that it took to deploy the corporate image using the two imaging tools.

On the Dell Latitude E6400, we updated the corporate image to simulate quarterly changes. We made the following changes to the image:

- Replaced Symantec EndPoint Protection 11.0.4 with McAfee® VirusScan Enterprise 8.5i
- Replaced Adobe Reader 8.1.2 with Adobe Reader 9.3
- Changed IE home page from www.dell.com to www.dell.com
- Added one system policy: Under Security Settings→Local Policies→Security Options→Rename Administrator account to PTAdmin

For the Dell OptiPlex 780 order from the factory, we recorded the time from powering on the system to the Windows desktop as well as how long it would take to use Norton Ghost 11.5 to build and image the system.

Dell Latitude E5400 notebook

We measured the amount of time we used with each of the two imaging solutions—Dell ImageDirect and Norton Ghost 11.5—to go from unboxing the notebook to having a functioning system with the following applications and settings:

- Adobe Acrobat Reader 8.1.2
- Adobe Photoshop CS5
- Adobe Dreamweaver CS5
- Microsoft Access 2007
- Microsoft Excel 2007
- Microsoft Outlook 2007
- Microsoft PowerPoint 2007
- Microsoft Project 2007
- Microsoft Word 2007
- Microsoft Visio 2007
- Microsoft Groove 2007
- Microsoft OneNote 2007
- Microsoft Publisher 2007
- Microsoft InfoPath 2007
- SPECjbb2005 v1.07
- Symantec EndPoint Protection 11.0.4
- WinZip 14.5

We also set the following in the image:

- IE home page to www.principledtechnologies.com
- Corporate desktop wallpaper
- · Corporate-mandated Policy settings
 - Under Security Settings→Account Policies→Password Policy→Change Maximum Password age to 20 days
 - Under Security Settings→Local Policies→User Rights Assignment→Add Administrator to Lock pages in memory (recommended for running SPECjbb2005)
 - Under Security Settings→Local Policies→Security Options→Rename guest account to PT Guest

Dell Precision T1500 desktop

We measured the amount of time we used with each of the two imaging solutions—Dell ImageDirect and Norton Ghost 11.5—to go from imaging the desktop to having a functioning system with the following applications and settings:

- Adobe Acrobat Reader 8.1.2
- Adobe Photoshop CS5
- Adobe Dreamweaver CS5
- Microsoft Access 2007
- Microsoft Excel 2007
- Microsoft Outlook 2007
- Microsoft PowerPoint 2007
- Microsoft Project 2007
- Microsoft Word 2007
- Microsoft Visio 2007
- Microsoft Groove 2007
- Microsoft OneNote 2007
- Microsoft Publisher 2007
- Microsoft InfoPath 2007
- SPECjbb2005 v1.07
- Symantec EndPoint Protection 11.0.4
- WinZip 14.5

We also set the following in the image:

- IE home page to www.principledtechnologies.com
- Corporate desktop wallpaper
- Corporate-mandated Policy settings
 - Under Security Settings→Account Policies→Password Policy→Change Maximum Password age to 20 days
 - Under Security Settings→Local Policies→User Rights Assignment→Add Administrator to Lock pages in memory (recommended for running SPECjbb2005)
 - Under Security Settings→Local Policies→Security Options→Rename guest account to PT Guest

For the Dell Precision T1500 system, we recorded the amount of time that it took to deploy the corporate image using the two imaging tools.

Creating the Dell Precision T1500 build using ImageDirect (2:46 recorded time)

- 1. Sign into the ImageDirect site (https://imagedirect.dell.com/imagedirect/logon.aspx?c=us&l=en&s=gen).
- 2. Click Manage Images.
- 3. Select desired image, and click Edit.
- 4. Click Edit Image again.
- 5. Click Image Name to rename image.
- 6. Click Save.
- 7. Click Restore Options.
- 8. Select desired Product Family platform for drivers.
- 9. Select desired Model.
- 10. Click SAVE.
- 11. Click Build Image.
- 12. Click START IMAGE BUILD.

Creating the Dell Precision T1500 build using Ghost (59:41 recorded time)

- 1. Install Windows 7 and updates.
- 2. Install the following applications:
 - Adobe Acrobat Reader 8.1.2
 - Adobe Photoshop CS5

- o WinZip 14.5
- Symantec EndPoint Protection 11.0.4
- MS Office 2007
- MS Project 2007
- o MS Visio 2007
- SPECjbb2005 v1.07
- 3. Set the desktop wallpaper.
- 4. Set the home page to www.principledtechnologies.com.
- 5. Set the following group policies:
 - Under Security Settings→Account Policies→Password Policy→Change Maximum Password age to 20 days.
 - Under Security Settings→Local Policies→User Rights Assignment→Add Administrator to Lock pages in memory (recommended for running SPECjbb2005).
 - Under Security Settings→Local Policies→Security Options→Rename guest account.
- 6. Capture the corporate image using Ghost 11.5.

Dell Latitude E6400 notebook

We measured amount of time we used with each of the two imaging solutions—Dell ImageDirect and Norton Ghost 11.5—to go from imaging the notebook to having a functioning system with the following applications and settings:

- Adobe Acrobat Reader 8.1.2
- Adobe Photoshop CS5
- Adobe Dreamweaver CS5
- Microsoft Access 2007
- Microsoft Excel 2007
- Microsoft Outlook 2007
- Microsoft PowerPoint 2007
- Microsoft Project 2007
- Microsoft Word 2007
- Microsoft Visio 2007
- Microsoft Groove 2007
- Microsoft OneNote 2007
- Microsoft Publisher 2007
- Microsoft InfoPath 2007
- SPECibb2005 v1.07
- Symantec EndPoint Protection 11.0.4
- WinZip 14.5

We also set the following in the image:

- IE home page to <u>www.dell.com</u>
- Corporate desktop wallpaper
- Corporate-mandated Policy settings
 - Under Security Settings→Account Policies→Password Policy→Change Maximum Password age to 20 days
 - Under Security Settings→Local Policies→User Rights Assignment→Add Administrator to Lock pages in memory (recommended for running SPECibb2005)
 - o Under Security Settings→Local Policies→Security Options→Rename guest account to PT Guest
 - Under Security Settings→Local Policies→Security Options→Rename Administrator account to PTAdmin.

On the Dell Latitude E6400 notebook system, we updated the corporate image to simulate quarterly changes. We made the following changes to the image:

Replaced Symantec EndPoint Protection 11.0.4 with McAfee[®] VirusScan Enterprise 8.5i

- Replaced Adobe Reader 8.1.2 with Adobe Reader 9.3
- Changed IE home page from www.principledtechnologies.com to www.dell.com
- Added one system policy: Under Security Settings→Local Policies→Security Options→Rename Administrator account to PTAdmin

For the Dell Latitude E6400 notebook system, we recorded the amount of time that it took to deploy the corporate image using the two imaging tools.

Creating the new Dell Latitude 6400 build using ImageDirect (4:07 recorded time)

- 1. Sign into the ImageDirect site (https://imagedirect.dell.com/imagedirect/logon.aspx?c=us&l=en&s=gen).
- 2. Click Manage Images.
- 3. Select desired image, and click Edit.
- 4. Click Edit Image again.
- 5. Click Image Name to rename image.
- 6. Click Save.
- 7. Click Customer Applications.
- 8. Uncheck Symantec Endpoint 11.0.6 II, and check VirusScan Enterprise 8.7i.
- 9. Uncheck Reader812, and check Adobe Reader 9.3.
- 10. Check install order, and click SAVE.
- 11. Click All Models Settings and edit command for installing antivirus.
- 12. Click SAVE.
- 13. Click Build Image.
- 14. Click START IMAGE BUILD.

Creating the Dell Latitude E6400 build using Ghost (1:00:32 recorded time)

- 1. Install Windows 7 and updates.
- 2. Install the following applications:
 - o Adobe Acrobat Reader 9.3
 - Adobe Photoshop CS5
 - WinZip 14.5
 - McAfee VirusScan Enterprise 8.5i
 - o MS Office 2007
 - MS Project 2007
 - o MS Visio 2007
 - SPECjbb2005 v1.07
- 3. Set the desktop wallpaper.
- 4. Set IE Home page to www.principledtechnologies.com.
- 5. Set the following group policies:
 - Under Security Settings→Account Policies→Password Policy→Change Maximum Password age to 20 days.
 - Under Security Settings→Local Policies→User Rights Assignment→Add Administrator to Lock pages in memory (recommended for running SPECibb2005).
 - Under Security Settings→Local Policies→Security Options→Rename guest account.
- 6. Capture the corporate image using Ghost 11.5.

Dell OptiPlex 780 desktop

We received the Dell OptiPlex 780 from the factory with ImageDirect already installed. Therefore, we only measured the amount of time we used with the Symantec Norton Ghost image solution—to go from unboxing the desktop to having a functioning system with the following applications and settings:

- Adobe Acrobat Reader 8.1.2
- Adobe Photoshop CS5
- Adobe Dreamweaver CS5
- Microsoft Access 2007

- Microsoft Excel 2007
- Microsoft Outlook 2007
- Microsoft PowerPoint 2007
- Microsoft Project 2007
- Microsoft Word 2007
- Microsoft Visio 2007
- Microsoft Groove 2007
- Microsoft OneNote 2007
- Microsoft Publisher 2007
- Microsoft InfoPath 2007
- SPECibb2005 v1.07
- Symantec EndPoint Protection 11.0.4
- WinZip 14.5

We also set the following in the image:

- IE home page to www.principledtechnologies.com
- Corporate desktop wallpaper
- Corporate-mandated Policy settings
 - Under Security Settings→Account Policies→Password Policy→Change Maximum Password age to 20 days
 - Under Security Settings→Local Policies→User Rights Assignment→Add Administrator to Lock pages in memory (recommended for running SPECjbb2005)
 - Under Security Settings→Local Policies→Security Options→Rename guest account to PT Guest

Creating the Dell OptiPlex 780 build using Ghost (50:27 recorded time)

- 1. Install Windows 7 and updates.
- 2. Install the following applications:
 - Adobe Acrobat Reader 8.1.2
 - Adobe Photoshop CS5
 - o WinZip 14.5
 - Symantec EndPoint Protection 11.0.4
 - o MS Office 2007
 - o MS Project 2007
 - o MS Visio 2007
 - SPECjbb2005 v1.07
- 3. Set the desktop wallpaper.
- 4. Set the home page to www.principledtechnologies.com.
- 5. Set the following group policies:
 - Under Security Settings→Account Policies→Password Policy→Change Maximum Password age to 20 days.
 - Under Security Settings→Local Policies→User Rights Assignment→Add Administrator to Lock pages in memory (recommended for running SPECjbb2005).
 - Under Security Settings→Local Policies→Security Options→Rename guest account.
- 6. Capture corporate image using Ghost 11.5.

7

Appendix A – System configuration informationFigure 2 provides detailed configuration information about two notebook systems and Figure 3 provides detailed configuration information about the two desktop systems.

System	Dell Latitude E5400	Dell Latitude E6400			
General					
Number of processor packages	1	1			
Number of cores per processor	2	2			
Number of hardware threads per core	2	2			
System power management policy	Balanced	Balanced			
Processor power-saving option	Enhanced Intel [®] SpeedStep [®] Technology	Enhanced Intel SpeedStep Technology			
System dimensions (length x width x height)	13-1/4" x 9-1/2" x 1-1/4"	13-1/4" x 9-1/2" x 1-1/4"			
System weight	5 lbs. 10 oz.	5 lbs. 2 oz.			
CPU					
Vendor	Intel	Intel			
Name	Core™ 2 Duo	Core 2 Duo			
Model number	T7250	T8700			
Stepping	M0	R0			
Socket type and number of pins	Socket P (478)	Socket P (478)			
Core frequency (GHz)	2.00	2.53			
Bus frequency (MHz)	667	1,066			
L1 cache	32 KB + 32 KB (per core)	32 KB + 32 KB (per core)			
L2 cache	2,048 KB 3 MB				
Platform	[- 				
Vendor	Dell	Dell			
Motherboard model number	OD695C	0W620R			
Motherboard chipset	Intel GM45	Intel GM45			
BIOS name and version	Phoenix ROM BIOS PIUS Version 1.10 A15	Dell A17 (09/17/2009)			
BIOS settings	Default	Default			
Memory module(s)	Memory module(s)				
Vendor and model number	2,048 MB Qimonda 64T256020EDL2.5C2	2,048 MB Samsung M4 70T5663CZ3-CE6			
Type	PC2-6400	PC2-5300			
Speed (MHz)	800	667			
Speed running in the system (MHz)	800	667			
Timing/Latency (tCL-tRCD-tRP-tRASmin)	6-6-6-18	5-5-5-15			
Size (MB)	2,048	4,096			

System	Dell Latitude E5400	Dell Latitude E6400		
Number of memory module(s)	2 x 2,048 MB	2 x 2,048 MB		
Chip organization (single- sided/double-sided)	Double-sided	Double-sided		
Channel (single/dual)	Dual	Dual		
Hard disk				
Vendor and model number	Seagate ST9120312AS	Seagate ST980313AS		
Number of disks in system	1	1		
Size (GB)	120	80		
Buffer size (MB)	8	8		
RPM	5,400	5,400		
Type	SATA 3.0 Gb/s	SATA 3.0 Gb/s		
Controller	Intel 82801IM (ICH9-M)	Intel 82801IM (ICH9-M)		
Driver	Intel 6.9.1001 (02/20/2008)	Intel 9.6.0.1014 (03/03/2010)		
Operating system				
Name	Microsoft Windows 7 Enterprise	Microsoft Windows 7 Enterprise		
Build number	7600	7600		
Service Pack	N/A	N/A		
File system	NTFS	NTFS		
Kernel	ACPI x86-based PC	ACPI x86-based PC		
Language	English	English		
Microsoft DirectX version	DirectX 11	DirectX 11		
Graphics	Director 11	Direction 11		
Vendor and model number	Mobile Intel GMA X4500HD	Mobile Intel GMA 4500MHD		
	Discrete	Discrete		
Туре	Mobile Intel 4 Series Express Chipset	Mobile Intel 4 Series Express		
Chipset	Family	Chipset		
BIOS version	1659.0	1659.0		
Total available graphics memory (MB)	1,545	1,543		
Dedicated video memory (MB)	32	32		
System video memory (MB)	32	32		
Shared system memory (MB)	1,481	1,479		
Resolution	1,280 x 800 x 32 bit	1,280 x 800 x 32 bit		
Driver	Intel 8.15.10.1749 (05/06/2009)	Intel 8.15.10.1855 (07/28/2009)		
Sound card/subsystem	,	·		
Vendor and model number	High Definition Audio	IDT High Definition Audio CODEC, Intel High Definition Audio HDMI		
Driver	Microsoft 6.1.7600.16385 (07/13/2009)	IDT 6.10.0.6227 (07/31/2009), Intel 6.10.1.2073 (05/26/2009)		
Ethernet	1	11.320.0 (00,20,2000)		
Vendor and model number	Broadcom NetXtreme 57xx Gigabit	Intel 82567LM Gigabit		
Driver	Microsoft 10.100.4.0 (04/26/2009)	Intel 10.0.6.0 (06/12/2009)		
Wireless	WIIG103011 10.100.4.0 (04/20/2003)	111.01 10.0.0.0 (00/12/2009)		
	Doll Wireless 1207 W. AN Mini Cond	Intol 5100 ACN		
Vendor and model number	Dell Wireless 1397 WLAN Mini-Card	Intel 5100 AGN		
Onticel drive(a)	Microsoft 4.176.75.21 (10/01/2008)	Intel 1.1.1.1 (01/13/2010)		
Optical drive(s)	LIL DT OT DVD - DVV OT ON ATA	March's III000A		
Vendor and model number	HL-DT-ST DVD+-RW GT10N ATA	Matshita UJ862A		
Туре	DVD+-RW	DVD+-RW		

System	Dell Latitude E5400	Dell Latitude E6400			
USB ports	•				
Number	4	4			
Туре	2.0	2.0			
IEEE 1394 ports					
Number	1 (4-pin)	1 (4-pin)			
Monitor					
LCD type	WXGA	WXGA			
Screen size (inches)	14.1	14.1			
Refresh rate (Hz)	60	60			
Battery					
Type	Dell KM742 lithium-ion	Dell PT434 lithium-ion			
Size (length x width x height)	8-1/8" x 2" x 3/4"	8-1/4" x 2" x 3/5"			
Rated capacity	5,050 mAh / 11.1V (56Wh)	5,050 mAh / 11.1V (56Wh)			
Weight 11 oz. 11 oz.		11 oz.			

Figure 2. Detailed system configuration information for the two notebook systems.

System	Dell OptiPlex 780	Dell Precision T1500		
		· · · · · · · · · · · · · · · · · · ·		
General		L		
Number of processor packages	1	1		
Number of cores per processor	2	4		
Number of hardware threads per core	2	4		
System power management policy	Balanced	Balanced		
Processor power-saving option	Enhanced Intel SpeedStep Technology	Enhanced Intel SpeedStep Technology		
CPU				
Vendor	Intel	Intel		
Name	Pentium® Processor E5400	Core i5		
Model number	E5400	750		
Stepping	R0	B1		
Socket type and number of pins	Socket 775 LGA	LGA1156		
Core frequency (GHz)	2.70	2.67		
Bus frequency	800 MHz	2,400 QPI Link		
L1 cache	32 KB + 32 KB (per core)	32 KB + 32 KB (per core)		
L2 cache	2 MB	1 MB (256 KB per core)		
L3 cache	N/A	8 MB		
Platform				
Vendor	Dell	Dell		
Motherboard model number	0200DY	OP67HD		
Motherboard chipset	Intel Q45	Intel P55		
BIOS name and version	Dell A04 (04/30/2010)	Dell 2.0.2 (12/25/2009)		
BIOS settings	Default	Default		
Memory module(s)				
Vendor and model number	Kingston KP223C-ELD	Elpida EBJ21UE8BBF0-DJ-F		
Туре	PC3-10700	PC3-10700		
Speed (MHz)	1,333	1,333		
Speed running in the system (MHz)	800	1,333		
Timing/Latency (tCL-tRCD-tRP-tRASmin)	6-6-6-15	9-9-9-24		
Size (MB)	2,048	4,096		
Number of memory module(s)	1 x 2,048 MB	2 x 2,048 MB		
Chip organization (single-sided/double-sided)	Double-sided	Double-sided		
Channel (single/dual)	Single	Dual		
Hard disk				
Vendor and model number	Western Digital WD1600AAJS- 75M0A0	Western Digital WD1600AAJS- 75M0A0		
Number of disks in system	1	1		

System	Dell OptiPlex 780	Dell Precision T1500		
Size (GB)	160	160		
Buffer size (MB)	8	8		
RPM	7,200	7,200		
Type	SATA 3.0 Gb/s	SATA 3.0 Gb/s		
Controller	Intel 82801JB (ICH10)	Intel 82801IR (ICH9R)		
Driver	Intel 8.9.0.1023 (06/04/2009)	Microsoft 6.1.7600.16385 (06/21/2006)		
Operating system				
Name	Microsoft Windows 7 Enterprise	Microsoft Windows 7 Enterprise		
Build number	7600	7600		
Service Pack	N/A	N/A		
File system	NTFS	NTFS		
Kernel	ACPI x86-based PC	ACPI x86-based PC		
Language	English	English		
Microsoft DirectX version	DirectX 11	DirectX 11		
Graphics				
Vendor and model number	Intel 4 Series Internal Chipset	NVIDIA [®] Quadro [®] NVS 295		
Type	Discrete	Discrete		
Chipset	Intel 4 Series Internal Chipset Family	Quadro NVS 295		
BIOS version	1785.0	62.98.56.0.11		
Total available graphics memory (MB)	781	1,531		
Dedicated video memory (MB)	32	256		
System video memory (MB)	32	0		
Shared system memory (MB)	717	1,275		
Resolution	1,280 x 1,024 x 32 bit	1,280 x 1,024 x 32 bit		
Driver	Intel 8.15.10.1872 (08/13/2009)	NVIDIA 8.15.11.9038 (07/14/2009)		
Sound card/subsystem				
Vendor and model number	SoundMAX Integrated Digital High Definition Audio	High Definition Audio		
Driver	Analog Devices 6.10.1.7260 (02/22/2009)	Microsoft 6.1.7600.16385 (07/13/2009)		
Ethernet				
Vendor and model number	Intel 82567LM-3 Gigabit	Broadcom NetLink Gigabit		
Driver	Intel 11.5.10.0 (12/10/2009)	Broadcom 12.2.2.2 (08/06/2009)		
Optical drive(s)	,			
Vendor and model number	N/A	LG GH50N		
Туре	N/A	DVD-RW		
USB ports				
Number	8	10		
Type	2.0 2.0			
IEEE 1394 ports		1		
Number	0	2		
Monitor		<u> </u>		
	Sameung SynoMaster 007DE	Sameung SynoMaster 007DE		
LCD type	Samsung SyncMaster 997DF 19	Samsung SyncMaster 997DF 19		
Screen size (inches)	85	85		
Refresh rate (Hz)	00	໐ວ		

Figure 3. Detailed system configuration information for the two desktop systems.

Appendix B – Detailed results

Figure 4 provides more details on the test times of the individual tasks and activities for each of the systems with Dell ImageDirect and with Norton Ghost 11.5.

	Dell Latitude E5400 (base build)		Dell Latitude E6400 (corporate image with updated applications ¹)		Dell OptiPlex 780 (factory build)		Dell Precision T1500 (corporate image ²)	
Timed activities	Image- Direct	Ghost	Image- Direct	Ghost	Image- Direct	Ghost	Image- Direct	Ghost
Total one-time setup	0:00:00	0:00:00	0:04:07	1:00:32	0:00:00	0:50:27	0:02:46	0:59:41
Install Windows 7	N/A	N/A	N/A	0:13:17	N/A	0:20:14	N/A	0:17:56
Upload new applications/edit image/audit image	N/A	N/A	N/A	0:17:17	N/A	0:07:21	N/A	0:10:53
Download and install drivers	N/A	N/A	N/A	N/A	N/A	0:02:58	N/A	N/A
Install applications	N/A	N/A	N/A	0:26:49	N/A	0:17:38	N/A	0:26:12
Customize image	N/A	N/A	N/A	0:03:09	N/A	0:02:16	N/A	0:04:40
Total deployment	0:12:07	0:48:13	0:12:03	0:49:37	0:08:10	0:28:18	0:05:13	0:45:35
Unbox system	0:02:26	0:02:26	0:02:22	0:02:22	0:01:59	0:01:59	0:02:27	0:02:27
Power on/deploy Ghost image	0:09:41	0:14:55	0:09:41	0:20:26	0:06:11	0:08:40	0:02:46	0:16:56
Install additional applications	N/A	0:30:52	N/A	0:26:49	N/A	0:17:38	N/A	0:26:12
Total remote site additional deployment	0:00:00	0:09:46	0:00:00	0:09:42	0:00:00	0:10:47	0:00:00	0:11:47
Repack system (average for all systems)	N/A	0:07:20	N/A	0:07:20	N/A	0:07:20	N/A	0:07:20
Unpack and set up	N/A	0:02:26	N/A	0:02:22	N/A	0:03:27	N/A	0:04:27

Figure 4. The organization's tested times for setting up images and deploying systems using them both to a single site and to a remote site. The times are in hours:minutes:seconds.

1 See Page 6 for details on the one-time setup of the updated corporate image on the Dell Latitude E6400.
2 See Page 4 for details on the one-time setup of the corporate image on the Dell Precision T1500.

13

About Principled Technologies

We provide industry-technology assessment and fact-based marketing services. We bring to every assignment extensive experience with and expertise in all aspects of technology testing and analysis, from researching new technologies, to developing new methodologies, to testing with existing and new tools.

When the assessment is complete, we know how to present the results to a broad range of target audiences. We provide our clients with the materials they need, from market-focused data to use in their own collateral to custom sales aids, such as test reports, performance assessments, and white papers. Every document reflects the results of our trusted independent analysis.

We provide customized services that focus on our clients' individual requirements. Whether the technology involves hardware, software, Web sites, or services, we offer the experience, expertise, and tools to help you assess how it will fare against its competition, its performance, whether it's ready to go to market, and its quality and reliability.

Our founders, Mark L. Van Name and Bill Catchings, have worked together in technology assessment for over 20 years. As journalists, they published over a thousand articles on a wide array of technology subjects. They created and led the Ziff-Davis Benchmark Operation, which developed such industry-standard benchmarks as Ziff Davis Media's Winstone and WebBench. They founded and led eTesting Labs, and after the acquisition of that company by Lionbridge Technologies were the head and CTO of VeriTest.



Principled Technologies, Inc. 1007 Slater Rd., Suite 300 Durham, NC 27703 www.principledtechnologies.com info@principledtechnologies.com

Principled Technologies is a registered trademark of Principled Technologies, Inc. All other product names are the trademarks of their respective owners.

Disclaimer of Warranties; Limitation of Liability:

PRINCIPLED TECHNOLOGIES, INC. HAS MADE REASONABLE EFFORTS TO ENSURE THE ACCURACY AND VALIDITY OF ITS TESTING, HOWEVER, PRINCIPLED TECHNOLOGIES, INC. SPECIFICALLY DISCLAIMS ANY WARRANTY, EXPRESSED OR IMPLIED, RELATING TO THE TEST RESULTS AND ANALYSIS, THEIR ACCURACY, COMPLETENESS OR QUALITY, INCLUDING ANY IMPLIED WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE. ALL PERSONS OR ENTITIES RELYING ON THE RESULTS OF ANY TESTING DO SO AT THEIR OWN RISK, AND AGREE THAT PRINCIPLED TECHNOLOGIES, INC., ITS EMPLOYEES AND ITS SUBCONTRACTORS SHALL HAVE NO LIABILITY WHATSOEVER FROM ANY CLAIM OF LOSS OR DAMAGE ON ACCOUNT OF ANY ALLEGED ERROR OR DEFECT IN ANY TESTING PROCEDURE OR RESULT.

IN NO EVENT SHALL PRINCIPLED TECHNOLOGIES, INC. BE LIABLE FOR INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES IN CONNECTION WITH ITS TESTING, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. IN NO EVENT SHALL PRINCIPLED TECHNOLOGIES, INC.'S LIABILITY, INCLUDING FOR DIRECT DAMAGES, EXCEED THE AMOUNTS PAID IN CONNECTION WITH PRINCIPLED TECHNOLOGIES, INC.'S TESTING. CUSTOMER'S SOLE AND EXCLUSIVE REMEDIES ARE AS SET FORTH HEREIN.